BRUNNER TILE STOVES



KKE 33


State: 08.11.2012






100% PRODUKT

Dimension sheet | KKE 33



We suggest for CAD planing Palette CAD. Permanent updated drawings: www.brunner.de Frames / front versions are marked colored.

Dimension sheet | KKE 33



Planning and installation

KKE 33

Tested according to		EN 13229 W	EN 13229 WA
Values measured at		nominal load	accumulation
Suitable for all construction types according to rules		OK	OK
Data for functional demonstration			
Rated heat power	kW	7	
Firewood consumption	kg/h	2,0	3,2
Combustion performance	kW	8,0	13
Flue gas mass flow	g/s	8	13
Outlet temperature (before heating surface)	°C	570	620
Flue gas temperature after			
attached steel smoke hood	°C	-	-
1 x adjoining cast iron radiator (GNF10)	°C	140	160
accumulation rings (MAS) 1)	°C	-	-
4,5 m adjoining ceramic accumulator ²⁾	°C	-	-
3,5 m ceramic modular accumulator (KMS system)	°C	-	200
water boiler	°C	-	-
Necessary supply pressure	Pa	12	15
Combustion air consumption	m³/h	20	35
Combustion air connection Ø	mm	125	125
Heat distribution			
Insert / heating surface	%	40 / 50	40 / 50
Glass (single / double)	%	- / 10	- / 10
Boiler	%	-	-
Cross-section of gratings for max. warm air power			
Supply air	cm ²	1200	1200
Warm air	cm ²	1200	1200
Space inside oven chamber			
Distance to oven chamber wall	cm	8	8
Distance to floor	cm	15	15
Heat insulation without / with ³⁾ air gratings	om	10	
Wall	cm	10 / 7	10 / 7
Floor	cm	0	0
Ceiling	cm	22 / 16	22 / 16
Insulation of additional fire door DHT	cm	-	-
Brick lining of protected walls	cm	10	10
	UIII		
Weight	l.e.	400	
Fireplace + burning chamber	kg	166	+ 38
meets requirement limit values for			
Germany / Austria / Switzerland / Norway	1.BlmSchV (Stufe 2) / 15. BVG / LRV / -		

1) Throttle flap recommended

2) Approximate value, must be calculated eventually

3) Values with air gratings, stove casing is heat conducting

Ulrich Brunner GmbH Zellhuber Ring 17 -18 D-84307 Eggenfelden Phone: +49 / (0)87 21 / 7 71-0 Fax: +49 / (0)87 21 / 7 71-100 info@brunner.de | www.brunner.de



BRUNNER products are offered and sold only by qualified dealers and service centres. Subject to technical and assortment changes. Errors excepted. (11/12)